## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1		361/125.ccls and 337/284.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:51
L2	130	361/125.ccls 337/284.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:51
S1	154	current and limiting and switch\$3 and breaker and distribution and fuses and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:49
S2	0	(current and limiting and switch\$3 and breaker and distribution and fuses and threshold).clm.	US-PGPUB	OR	OFF	2006/04/10 12:50
S3	0	(current and limiting and switch\$3 and breaker and distribution and fuse and threshold).clm.	US-PGPUB	OR	OFF	2006/04/10.12:50
S4	2	(current and limiting and switch\$3 and breaker and fuse\$1 and threshold).clm.	US-PGPUB	OR	OFF	2006/04/10 12:51
S5	5	(current and switch\$3 and breaker and fuse\$1 and threshold).clm.	US-PGPUB	OR	OFF	2006/04/10 12:51